

# 2025 Soybean Plot Summary



County	Livingston Pike 6 <sup>1</sup>			Livingston Pike 5			Livingston Pike 4			Livingston Nebraska 23			4 Plot Average <sup>2</sup>	2 Year Average	
Township	Pike 6 <sup>1</sup>			Pike 5			Pike 4			Nebraska 23					
Section	6 <sup>1</sup>			5			4			23					
Planting Date	5/27/25			5/27/25			5/27/25			5/24/25					
Harvest Date	10/27/25			10/27/25			10/24/25			10/27/25					
Previous Crop	Corn			Corn			Corn			Corn					
Variety	Mat.	Yield	Lodging <sup>3</sup>	Yield	Lodging	Yield	Lodging	Yield	Lodging	Yield	Lodging	Yield	Lodging	Yield	Lodging
AE 2750 <sup>4</sup>	2.7	67.0	9	67.0	9	71.9	7	77.4	8	70.8	8.3	72.9	8.0		
AE 2940S	2.9	73.8	9	73.8	9	84.0	7	79.2	9	77.7	8.5	74.1	8.3		
AE 2960	2.9	61.2	9	61.2	9	84.3	7	77.8	9	71.1	8.5				
AE 3131S	3.1	70.0	9	70.0	9	73.5	7	75.8	8	72.3	8.3	74.2	8.1		
AE 3340	3.3	62.6	8	62.6	8	73.1	7	83.4	8	70.4	7.8	72.5	7.6		
AE 3540S	3.5	61.5	8	61.5	8	70.5	8	71.8	8	66.3	8.0	70.2	7.6		
AE 3550S	3.5	70.3	9	70.3	9	86.0	7	82.0	9	77.1	8.5				
AE 3720S	3.6	65.7	8	65.7	8	73.0	9	80.5	8	71.2	8.3	72.0	7.5		
Beck's 3300E3	3.3	72.6	9	72.6	9	83.6	7			78.0	8.2				
Merschman Reagan	3.5	70.4	9	70.4	9	86.5	8			78.3	8.6				
NuTech 34N02E	3.4	67.6	9	67.6	9	73.3	7			71.5	8.2				
NuTech 35B05E	3.5	65.6	9	65.6	9	75.9	9			71.3	8.9				
Enlist Average		67.4	8.8	67.4	8.8	78.0	7.5	79.4	8.3	73.0	8.3	72.6	7.8		

2756CXF	2.7	60.3	9	60.3	9	77.6	7	71.7	7	67.5	8.0				
2936CXF	2.9	67.8	9	67.8	9	75.3	9	70.3	8	70.3	8.8	73.1	8.3		
3146CXF	3.1	65.3	8	65.3	8	75.7	8	77.8	7	71.0	7.8	73.7	7.0		
3326CXF	3.3	62.7	8	62.7	8	73.2	6	72.1	7	67.7	7.3	74.4	6.9		
3646CXF	3.6	70.4	8	70.4	8	80.8	7	82.8	6	76.1	7.3	76.7	6.7		
XtendFlex Average		65.3	8.4	65.3	8.4	76.5	7.4	74.9	7.0	70.5	7.8	74.4	7.2		

<sup>1</sup> Some varieties were not in all the plots. Interpolated values were used for the missing data to determine the 4 Plot Average when the data were missing.

<sup>2</sup> All 4 of the plots were treated with 10.5 ounces of azoxystrobin and 3.2 ounces of bifenthrin with ground equipment. All the plots were sprayed on August 8th except for the Pike Section 6 plot which was sprayed on August 9th.

<sup>3</sup> Lodging scores were on a 1 to 9 scale with 9 being the best standability.

<sup>4</sup> All varieties including competitors had a seed treatment. All Roeschley varieties were treated with Rancona V 100 Pro seed treatment (ipconazole and carboxin), plus mefenoxam (R-enantiomer of metalaxyl), and imidacloprid (insecticide)